



EASSON  
PACKAGING SOLUTIONS



# PRODUCTS LIST

---

2020  
EASSON INTERNATIONAL PTY LTD

# DISPOSABLE PROTECTIVE CLOTHING

## General Features:

Breathable , lightweight and flexible material for exceptional wearer comfort Particle-tight and spray-tight Free of paint wetting impairment substances and silicone

## Protection Features:

Good visibility Self-adhesive Zipper flap for optimal protection Anti-static properties Protection against infectious diseases

## Comfort Features:

Skin-fniendly non-woven material inside Elasticated Waistband for optimal fit Secure and convenient closures to elasticated bandson hood , arms and legs

## Product Fabric:

65-70grams PP non woven+PE Microporous film+Taped seams

## Classification:

PPE Cat3 Type5/6



### Two-piece Hooded Design

With two-piece hooded three-dimensional cut and elastic band around the face opening, the hood can better fit the shape of face and enhance the protection effect.



### Seam sealed tape workmanship

Each seam is sealed with tape, and the waist is applied with an internal elastic band, which better enhance the seam protection and the fitness of the suit.



### Elastic cuff

The cuff uses an internal elastic band to further enhance tightness and protection.



### Closed Placket Design

Center front zipper application allows easy put-on and take-off, while the zipper placket design brings better protection

# DISPOSABLE ISOLATION COVERALL

## General Features:

Breathable , lightweight and flexible material for exceptional wearer comfort Particle-tight and spray-tight Free of paint wetting impairment substances and silicone

## Protection Features:

Good visibility Self-adhesive Zipper flap for optimal protection Anti-static properties Protection against infectious diseases

## Comfort Features:

Skin-friently non-woven material inside Elasticated Waistband for optimal fit Secure and convenient closures to elasticated bandson hood , arms and legs

## Product Fabric:

65grams PP non woven+PE laminated


## Classification:

PPE Cat3 Type5/6



# SIZE CHART

Disposable protective clothing  
Disposable isolation coverall



SIZE	HEIGHT	BUST	SLEEVE LENGTH	1/2 CUFF	1/2 HEM
160/S	165cm	120cm	84cm	18cm	24cm
165/M	169cm	125cm	86cm	18cm	24cm
170/L	173cm	130cm	90cm	18cm	24cm
175/XL	178cm	135cm	93cm	18cm	24cm
180/2XL	181cm	140cm	96cm	18cm	24cm
185/3XL	188cm	145cm	99cm	18cm	24cm
190/4XL	194cm	150cm	102cm	18cm	24cm
DEVIATION	± 2cm	± 2cm	± 2cm	± 2cm	± 2cm



# LEVEL 1 ISOLATION GOWN

---

- PP non-woven+PE microporous lamination material
- Sterile is available
- SGS & FDA test report is available





# SIZE CHART

size ( cm )	Length(From the shoulder to bottom)	Width(Single Layer)	Belts	Sleeve Length	Tolerance
S	108	138	65	58	±2
M	115	138	67.5	58	±2
L	120	143	68.5	60	±2
XL	125	148	69.5	62	±2
XXL	130	153	70.5	62	±2

## LEVEL 2 ISOLATION GOWN

- 35grams SMS fabric/40grams PP+PE laminated material
- Technology: Ultrasonic pressing
- Sterile is available
- SGS & FDA test report is available





# SIZE CHART

size (cm)	Length(From the shoulder to bottom)	Width(Single Layer)	Belts	Sleeve Length	Tolerance
S	108	138	65	58	±2
M	115	138	67.5	58	±2
L	120	143	68.5	60	±2
XL	125	148	69.5	62	±2
XXL	130	153	70.5	62	±2



## DISPOSABLE SHOES COVERS

---

- 50grams PP non-woven+PE microporous lamination
- Or 65grams PP non-woven+PE microporous lamination
- Waterproof fabric
- PVC Anti-skid sole is available
- Sterile is available
- SGS test report is available



# DERMA-FEND HAND SANITIZER

- Pump action
- 75% alcohol aloe hand sanitizers
- Kills 99.99% germs and bacteria
- Registration of NICNAS
- MSDS(Material Safety Data Sheet) is available



## CONTACT

---

**Wilson Li**

**Mobile: +61 0401 479 518**

**Email: wilson.li@easson.com.au**

**or**

**Kimi Lei**

**Mobile: +61 0426 634 650**

**Email: kimi.lei@easson.com.au**

**Address:**

**62 High Street, Toowong QLD Australia 4066**

**Mail to**

**PO BOX 895 Indooroopilly QLD Australia 4068**

**Phone: +61 (07) 3191 4513**

**Website: [www.easson.com.au](http://www.easson.com.au)**





EASSON  
PACKAGING SOLUTIONS